Gattás GJF and Soares-Vieira JA. Cytochrome P450-2E1 and glutathione S-transferase mu polymorphisms among Caucasians and mulattoes from Brazil, 508
Gibby EM. Aspirational targets for occupational health, 133
Gill GV. *See* O'Neill S, *et al.*, 19
Golec R. *See* Chan J, *et al.*, 398
Gomzi M. *See* Macan J, *et al.*, 22
Gonzalez JL. *See* Failde I, *et al.*, 591
Green AD and Roberts KI. Recent trends in infectious diseases for travellers, 560
Griffiths A. Designing and managing healthy work for older workers, 473
Grime PR, *et al.* A survey of the use of post-exposure prophylaxis for occupational exposure to human immunodeficiency virus, 164
Guidotti TL. Occupational epidermiology, 137

Hagberg M. *See* Ekman A, *et al.*, 608
Haque, MN. Surveillance on self-report: a trial of health and safety monitoring in occupational settings, 182
Hargreaves, *See* Verow O, *et al.*, 251
Harris C. *See* Daniels K., *et al.*, 304
Harrison J, *et al.* Should control measures be based on air measurements or biological/biological effect monitoring?; 61 *also* Occupational and environmental medicine: sustainable development? 211
Heikkinen M-R. *See* Rossi K., *et al.*, 369
Heinemann AJ. *See* Heinemann K, *et al.* 422
Heinemann K, *et al.* Occupational exposure and liver cancer in women: results of the Multicentre International Liver Tumour Study (MILTS), 422
Heinonen K. *See* Rossi K., *et al.*, 369
Herity B. *See* Nallon AM, *et al.*, 39
Heuchert GE. *See* Heinemann K, *et al.* 422
Hjelm EW. *See* Ekman A, *et al.*, 608
Hobson J and Beach JR. An investigation of the realtionship between psychological health and workloadamong managers, 518
Hocking B, *et al.* Neurological abnormalties associated with mobile phone use, 366
Holien S. *See* Morken T, *et al.*, 414
Holt DL. *See* Meyer JD, *et al.*, 265; *also* Cherry N.M, *et al.*, 496
Hussain T. *See* Smith TA, *et al.*, 25

Ide CW. Toothless tests: associations between the results of routine screening medical examinations and ill-health retirement of firefighters in west central Scotland, 348
Irwin J. What are the causes, prevention and treatment of hearing loss in the ageing worker, 492

Jaekel-Reinhard A. *See* Weber A, 512
Jeebhay, MF. Seafood processing in South Africa: a study of working practices, occuptional health services and allergic health problems in the industry, 406
Jefferson TO. *See* Bricknell MCM, *et al.*, 33
Jeyaratnam J. *See* Koh D, *et al.*, 64
Jones S. Medical aspects of expatriate health: health threats, 572

Kennedy I and Williams S. Occupational exposure to HIV and post-exposure prophylaxis is healthcare workers, 387
Kieć-Świerczyńska, *et al.* Occupational ceramic fibres dematitis in Poland, 248
Kimbell-Dunn M. *See* Slater T, *et al.*; 586
Koh D, *et al.* A South-East Asian perspective, 64; *also* Chan G, 483
Korhonen O. *See* Sörenson L, *et al.*, 3
Kotseva KP, *et al.* Cardiovascular effects of occupational exposure to carbon disulphide, 43

Langedrag A. *See* Morken T, *et al.*, 414
Lewis PG. Occupational and environmental medicine: moving the factory fence or hedging our bets?, 217
Lianhjell Saue IL. *See* Morken T, *et al.*, 414
Lillington T. *See* Shanahan EM., *et al.*, 246
Lindsay GM. Auditing health promotion, 137
Lopata AL. *See* Jeebhay MF *et al.*, 406
Louhevaara V. *See* Sörenson L, *et al.*, 3
Lutman ME. What is the risk of noise-induced hearing loss at 80, 85, 90dB(A) and above? 274

Macan J, *et al.* Occupational histamine poisoning by fish flour: a case report, 22
MacKenzie D. *See* Schwigert MK., *et al.*, 348
Madan I. *See* Patel D *et al.*, 392
Marin J. *See* Failde I, *et al.*, 591
Markti W. *See* Strauss-Blasche G., *et al.*, 167
Maron MB. *See* Savastano M, *et al.*, 111
Martyn C. *See* Mitchell S, *et al.*, 30
Mason HJ. The recovery of plasma cholinesterase and erythrocyte acetylcholinesterase activity in workers after over-exposure to dichlorvos, 343
McBride DI, *et al.* Air blast circuit breaker noise and hearing loss: a multifactorial model for risk assessment, 173
McDonald JC, *See* Cherry N.M, *et al.*, 496
Medugorac B. *See* Macan J, *et al.*, 22
Meyer JD, *et al.* Occupational contact dermatitis in the UK: a surveillance report from EPIDERM and OPRA, 265; *See* Cherry N.M, *et al.*, 496
Midttun Seljebø G. *See* Morken T, *et al.*, 414
Mild KH. *See* Oftendal G., *et al.*, 237
Milković-Kraus. *See* Macan J, *et al.*, 22
Miller P, *et al.* An economic evaluation of occupational health, 159
Mitchell S, *et al.* Sensory neural processing in work-related upper limb disorders, 30
Moen BE. *See* Torp S., *et al.*, 326; *see also* Morken T, *et al.*, 414
Möhner M. *See* Heinemann K, *et al.* 422
Morken T, *et al.* Prevalence of musculoskeletal symptoms among aluminium workers, 414
Murphy E. Hepatitis B, vaccination and healthcare workers, 383
Murray AM. *See* Shanahan EM., *et al.*, 246
Murray-Bruce D. Age and ageing: an overview, 471
Murrison AW. Travel and expatriate health: an overview, 558

Nakamura K. *See* Nakamura S, *et al.*, 11; *see also* Nakanishi N., *et al.*, 115
Nakamura S, *et al.* Increased risk of coronary heart disease in Japanese blue-collar workers, 11
Nakanishi N, *et al.* Lifestyle an serum gamma-glutamultransferase: a study of middle-aged Japanese men, 115
Nallon AM, *et al.* Do symptomatic radiographers provide evidence for 'darkroom disease'?, 39
Nicholson PJ. Communicating occupational and environmental issues, 226
Novalbos JP, *See* Failde I, *et al.*, 591

Occupational health in the USA in the 21st century, Felton JS. 518
Oftedal G, *et al.* Symptoms experienced in connection with mobile phone use, 237
Ogunnowo BE. *See* Omokhodion FO., *et al.*, 107
Oja P. *See* Sörenson L, *et al.*, 3
Oldham JA, *et al.* An investigation of the validity of 'stimulated' work related tasks in relation to 'real-life' situations in the fire service training environment, 599
Olson H-O. *See* Morken T, *et al.*, 414
Omokhodion FO, *et al.* Prevalence of low back pain among staff in a rural hospital in Nigeria, 107
O'Neill S, *et al.* Variation in licensing authority standards for diabetic taxi drivers in the United Kingdom, 19

Palmer SR, *et al.* Major chemical incidents: bridging the occupational-public health gap, 221
Parker G. *See* Smith TA, *et al.*, 25
Patel D and Madan I. Methicillin-resistant Staphylococcus aureus and multidrug resistant tuberculosis: part 1, 392; *also* Methicillin-resistant Staphylococcus aureus and multidrug resistant tuberculosis: part 2, 395
Payton C. Biological hazards: an overview, 375
Pearce N. *See* Slater T, *et al.*, 586
Pedersen S. *See* Morken T, *et al.*, 414
Pelmear P.L. The recollections and musings of a former editor, 458
Petran M, *et al.* Association between bronchial hyperreactivity and exposure to silicon carbide, 103
Poljak I. *See* Macan J, *et al.*, 22

Rayson MP. Fitness for work: the need for conducting a job analysis, 434
Rees H. *See* Asuzu MC., *et al.*, 221
Reid A. *See* Miller P., *et al.*, 159
Riise T. *See* Torp S., *et al.*, 326; *see also* Morken T, *et al.*, 414
Risi LJA. *See* Grime PR., *et al.*, 164
Ritter CJ. *See* Schwigert MK., *et al.*, 348
Roberts KI. *See* Green AD, 560
Robins TG. *See* Jeebhay MF *et al.*, 406
Ross-Plummer R, *See* Srihar M, 614
Rossi K, *et al.* Factors affecting the work of an occupational health nurse, 369
Rycroft RJG. How do you manage dermatitis after exposure to the causative agent has ceased?, 197

Sandström M. *See* Oftendal G., *et al.*, 237
Savastano M. Otorhinolaryngological assessment and psychological adjustment in tanning industry workers, 111
Saxton JM, *et al.* A review of current literature on physiological tests and soft tissue biomarkers applicable to work-related upper limb disorders, 121
Schilling CJ. Effects of exposure to very high frequency radiofrequency radiation on six antaenna engineers in two separate incidents, 49
Schofield S, *See* Oldham JA, *et al.*, 599
Schwigert MK, *et al.* The application of Ontario Human rights legislation to the practice of occupational medicine, 343
Sepai O. *See* Harrison J, *et al.*, 61
Shanahan EM, *et al.* The teaching of occupational and environmental medicine to medical students in Australia and New Zealand, 246
Shand D. The assessment of fitness to travel, 566
Sim M. *See* Chan J, *et al.*, 398
Sinclair MJ. *See* Donoghue AM, *et al.*, 430
Slater T *et al.* Occupational respiratory symptoms in New Zealand hairdressers, 586
Slovak A. Partnerships and joined-up working: the millennium key? 57
Smith TA, *et al.* Respiratory symptoms and wheat flour exposure: a study flour millers, 25; *also* Occupational skin conditions in the food industry, 597
Smith A. The scale of perceived occupational stress, 294
Smolander J. *See* Sörenson L, *et al.*, 3
Soares-Vieira JA. *See* Gattás GJF, 508
Sörenson L, *et al.* Physical activity, fitness and body composition of Finnish police officers: a 15-year follow-up study, 3
Srihar M and Ross-Plummer R. The prevention of tuberculosis in prison staff, 614
Stevens AB and Coyle PV. Hepatitis C virus: an important occupational hazard? 377
Strauss-Blasche G. Does vacation enable recuperation? Changes in well-being associated with time away work, 167
Stubbs DA. Ergonomics and occupational medicine: future challenges, 277
Suzuki K. *See* Nakanishi N., *et al.*, 115

Takahashi K. Past, present and future trends of occupational health in Japan, as at 1998, 437
Tan V. *See* Chan G., 483
Tanaka M. *See* Nakamura S, *et al.*, 11
Tatara K. *See* Nakanishi N., *et al.*, 115
Thopill V. *See* Morken T, *et al.*, 414
Torp S, *et al.* Systematic health, environment and safety activities: do they influence occupational environment, behaviour and health? 326
Turk R. *See* Macan J, *et al.*, 22

Umar US. *See* Omokhodion FO., *et al.*, 107

Verow P, *et al.* Healthy workplace indicators: costing reasons for sickness absence within the UK National Health Service, 251
Vigeland Hauge SH. *See* Morken T, *et al.*, 414
Vučemilović A. *See* Macan J, *et al.*, 22

Weber A and Jaekel-Reinhard A. Burnout syndrome: a disease of modern societies?, 512
Westerman R. *See* Hocking B, *et al.*, 366
Westerman SJ and Davies DR. Acquisition and application of new technology skills: the influence of age, 478
Whynes D. *See* Miller P, *et al.*, 159
Wilén J. *See* Oftendal G, *et al.*, 237
Williams N. What are the causes of a perforated nasal septum, 135
Williams S. *See* McBride DI, *et al.*, 173; *see also* Kennedy I, 387
Willich SN. *See* Heinemann K, *et al.*, 422
Winstanley J. *See* Oldham JA, *et al.*, 599
Wojtczak J. *See* Kieć-Swierczyńska M., *et al.*, 337
Wright D. *See* Challenor J., *et al.*, 185
Wynn PP. The reliability of personal alcohol consumption estimates in a working population, 322

Occup. Med. Vol. 50, No. 8, pp. 624–625, 2000
Copyright © 2000 Lippincott Williams & Wilkins for SOM
Printed in Great Britain. All rights reserved
0962-7480/00

Title Index

A review of current literature on physiological tests and soft tissue biomarkers applicable to work-related upper limb disorders. Saxton JM, 121
A South-East Asian perspective. Koh D, *et al.*, 64
A survey of eye trauma and diseases at a teaching hospital: implications for training in occupational ophthalmology in Nigeria. Asuzu, MC, *et al.*, 193
A survey of the use of post-exposure prophylaxis for occupational exposure to human immunodeficiency virus. Grime PR, *et al.*, 164
Acquisition and application of new technology skills: the influence of age. Westerman SJ and Davies DR, 478
Age and ageing: an overview. Murray-Bruce D, 471
Ageing and fitness to work. Chan G *et al.*, 483
Aggression in boat builders: a search for altered mood states in boat builders exposed to styrene. Challenor J and Wright D, 185
Air blast circuit breaker noise and hearing loss: a multifactorial model for risk assessment. McBride DI and Williams S, 173
An economic evaluation of occupational health. Miller P, *et al.*, 159
An investigation of the relationship between psychological health and workload among managers, 518
An investigation of the validity of 'stimulated' work related tasks in relation to 'real-life' situations in the fire service training environment. Oldham JA, *et al.*, 599
Aspirational targets for occupational health. Gibby EM, 133
Assessment of the returned traveller. Easmon C, 583
Association between bronchial hyper-reactivity and exposure to silicon carbide. Petran M, *et al.*, 103
Auditing health promotion. Lindsay GM, 137
Biological hazards: an overview. Payton C, 375
Burnout syndrome: a disease of modern societies? Weber A and Jaekel-Reinhard A, 512
Cardiovascular effects of occupational exposure to carbon disulphide. Kotseva KP and De Bacquer D, 43
Communicating occupational and environmental issues. Nicholson PJ, 226
Congratulations from the editor of Journal of Occupational and Environmental Medicine. Brandt-Rauf P, 456
Cytochrome P450-2E1 and glutathione S-transferase mu polymorphisms among Caucasians and mulattoes from Brazil. Gattás GJF and Soares-Vieira JA, 508
Designing and managing healthy work for older workers. Griffiths A., 473
Do symptomatic radiographers provide evidence for 'darkroom disease'? Nallon AM, *et al.*, 39
Does vacation enable recuperation? Changes in well-being associated with time away work. Strauss-Blasche G, 167
Effects of exposure to very high frequency radio-frequency radiation on six antaenna engineers in two separate incidents. Schilling CJ, 49
Ergonomics and occupational medicine: future challenges. Stubbs DA, 277
Exposure measurement in occupation and environmental epidermiology used for quantitative risk assessment. Bunn WB, 131
Factors affecting the work of an occupational health nurse. Rossi K, *et al.*, 369
Fitness for work: the need for conducting a job analysis, Rayson MP, 434
Gender differences in musculoskeletal health of computer and mouse users in the Swedish workforce. Ekman A, *et al.*, 608
Healthy workplace indicators: costing reasons for sickness absence within the UK National Health Service. Verow P and C. Hargreaves, 251
Hepatitis B, vaccination and healthcare workers. Murphy E, 383
Hepatitis C virus: an important occupational hazard? Stevens AB, and Coyle PV, 377
How do you manage dermatitis after exposure to the causative agent has ceased? Rycroft RJG, 197
Increased risk of coronary heart disease in Japanese blue-collar workers. Nakamura S, *et al.*, 11
Lifestyle an serum gamma-glutamultransferase: a study of middle-aged Japanese men. Nakanishi N, *et al.*, 115
Low-level hydrocarbon solvent exposure and neurobehavioural effects. Gamble JF, 81
Major chemical incidents: bridging the occupational-public health gap. Palmer SR, *et al.*, 221
Medical aspects of expatriate health. Dow C., 579
Methicillin-resistant Staphylococcus aureus an multi-drug resistant tuberculosis: part 1. Patel D and Madan I, 392
Methicillin-resistant Staphylococcus aureus an multi-drug resistant tuberculosis: part 2. Patel D, and Madan I, 395
Miliaria rubra of the lower limbs in underground miners. Donoghue AM and Sinclair MJ, 430
Neurological abnormalties associated with mobile phone use. Hocking B, and Westerman R, 366
New stressors, new remedies. Firth-Cozens J, 199
Non-attendance for Social Security medical examination: patients who cannot afford to get better? Ford FM and Ford J, 504
Occupational and environmental medicine: moving the factory fence or hedging our bets? Lewis PG, 217
Occupational and environmental medicine: sustainable development? Harrison J, 211
Occupational and environmental medicine: sustainable development? Harrison J, 213

Occupational ceramic fibres dematitis in Poland. Kieć-Świerczyńska and Wojtczak J, 337
Occupational contact dermatitis in the UK: a surveillance report from EPIDERM and OPRA. Meyer JD, *et al.*, 265
Occupational epidermiology. Guidotti TL, 137
Occupational exposure and liver cancer in women: results of the Multicentre International Liver Tumor Study (MILTS). Heinemann K *et al.*, 422
Occupational exposure to HIV and post-exposure prophylaxis in healthcare workers. Kennedy I and Williams S, 387
Occupational histamine poisoning by fish flour: a case report. Macan J, *et al.*, 22
Occupational mental health. Briner RR, *et al.*, 287
Occupational mental health: a brief history. Fingret A, 289
Occupational respiratory symptoms in New Zealand hairdressers. Slater T, *et al.*, 586
Occupational skin conditions in the food industry, Smith TA, 597
Otorhinolaryngological assessment and psychological adjustment in tanning industry workers. Savastano M and Maron MB, 111
Partnerships and joined-up working: the millennium key? Slovak A and Coulston D, 57
Past, present and future trends of occupational health in Japan, as at 1998. Takahashi K, 437
Physical activity, fitness and body composition of Finnish police officers: a 15-year follow-up study. Sørenson L, *et al.*, 3
Predictors of lead absorption in children of lead workers. Chan J, *et al.*, 398
Prevalence of low back pain among staff in a rural hospital in Nigeria. Omokhodion FO, *et al.*, 107
Prevalence of musculoskeletal symptoms among aluminium workers. Morken T, *et al.*, 414
Psychological and occupational predictive factors for back pain among employees of a university hospital in southern Spain. Failde I, *et al.*, 591
Psychosocial risk assessment: problems and prospects. Rick J and Briner RB, 310
Recent trends in infectious diseases for travellers. Green AD and Roberts KI, 560
Relationships between work environments, psychological environments and psychological well-being. Briner RB, 299
Respiratory symptoms and wheat flour exposure: a study flour millers. Smith TA, *et al.*, 25
Seafood processing in South Africa: a study of working practices, occupational health services and allergic health problems in the industry., Jeebhay MF, *et al.*, 406
Sensory neural processing in work-related upper limb disorders. Mitchell S, *et al.*, 30
Should control measures be based on air measurements or biological/biological effect monitoring? Harrison J and Sepai O, 61
Surveillance of work-related diseases by occupational physicians in the UK: OPRA 1996-1999. Cherry NM *et al.*, 496
Surveillance on self-report: a trial of health and safety monitoring in occupational settings. Haque, MN, 182
Symptoms experienced in connection with mobile phone use. Oftedal G, *et al.*, 237
Systematic health, environment and safety activities: do they influence occupational environment, behaviour and health? Torp S, *et al.*, 326
The application of Ontario Human rights legislation to the practice of occupational medicine. Schwigert MK, *et al.*, 348
The application of the methods of evidence-based practice to occupational health. Carter T, 231
The assessment of fitness to travel. Shand D, 566
The development of a health policy for the Army. Bricknell MCM, *et al.*, 33
The filling of drinking vessels at social events: courtesy versus ergonomics? Finnegan TP, 59
The Medical Research Council Pneumoconiosis Research Unit, 1945-1985: a short history and tribute. Cotes JE, 440
The prevention of tuberculosis in prison staff. Srihar M and Ross-Plummer R, 614
The recollections and musings of a former editor. Pelmear PL, 458
The recovery of plasma cholinesterase and erythrocyte acetylcholinesterase activity in workers after overexposure to dichlorvos. Mason HJ, 343
The risk of heat exhaustion at a deep underground metalliferous mine in relation to body-mass index and predicted VO_2max. Donoghue AM and Bates GP, 259
The risk of heat exhaustion at a deep underground metalliferous mine in relation to surface temperatures. Donoghue AM and Bates GP, 334
The reliability of personal alcohol consumption estimates in a working population, Wynn PP, 322
The scale of perceived occupational stress. Smith A, 294
The teaching of occupational and environmental medicine to medical students in Australia and New Zealand. Shanahan EM, *et al.*, 246
The three faces of Occupational Medicine: printed paper, problems in practice, and professional purpose. Carter T, 460
Toothless tests: associations between the results of routine screening medical examinations and ill-health retirement of firefighters in west central Scotland. Ide CW, 353
Travel and expatriate health: an overview. Murrison AW, 558
Variation in licensing authority standards for diabetic taxi drivers in the United Kingdom. O'Neill S, *et al.*, 19
What are the causes of a perforated nasal septum. Williams N, 135
What are the causes, prevention and treatment of hearing loss in the ageing worker. Irwin J, 492
What is the risk of noise-induced hearing loss at 80, 85, 90dB(A) and above? Lutman ME, 274
Work and psychological well-being: future directions in research and practice. Briner RB and Fingret A, 320
Work, psychological well-being and performance. Daniels K and Harris C, 304

Occup. Med. Vol. 50, No. 8, pp. 626–628, 2000
Copyright © 2000 Lippincott Williams & Wilkins for SOM
Printed in Great Britain. All rights reserved
0962-7480/00

Key Words Index

21st century, 64

Absence, 434
Acetylocholinesterase, 343
Adult ageing, 478
Aerobic fitness, 259
Ageing, 473
Ageing population, 471
Ageing worker, 483
Ageing workers, 277
Alcohol, 322
Alcohol intake, 115
Amylase, 25
Antenna, 49
Army, 33
Arterial hypertension, 43
Assignment, 572
Asthma, 25, 586

Biochemical markers, 121
Biological effect monitoring, 343
Biomarker, 61
Blue-Collar Workers, 13
Boat builder, 185
Bronchial hyper-reactivity, 103
Burnout, 512
Business travel, 566
Butyrylcholinesterase, 343

Cardiovascular risk factors, 353
Carriage, 392
Case-control study, 422
Casuality, 81
Causative agent, 197
Cellular phones, 237
Ceramic fibre, 337
Changes at work, 369
Chemical hazards, 39, 221
Chemical testing, 217
Childhood exposure, 398
Cholesterol, 43
Chromium, 135
Clinical practices, 348
Coffee, 115
Colonization, 392
Competence, 213
Comprehensive health promotion, 137
Computer mouse, 608
Confounding, 81
Consumption and occupation, 322
Contact tracing, 395
Coping, 326
Coronary heart disease, 13, 43
Cost-benefit analysis, 159
Counselling, 315
Credibility, 226
Cross-sectional study, 81
Cumulative trauma disorders, 121

DDVP, 343
Deregulation, 437
Dermatitis, 197, 597
Dermatology, 430
Development, 33
Diabetes mullitus, 19
Disability management, 512
Driving, 19
Dysaethesiae, 366

Economic evaluation, 159
Education and training, 369
Elderly, 492
Electroplating, 135
Employers responsibility, 579
Employment, 375, 377
Endocrine disruption, 217
ENT assessment, 111
Environmental factors, 398
Environmental health, 64
Environmental justice, 217
Epidemiology, 81, 265, 377, 414, 497
Equal opportunities, 599
Ergonomics, 217, 277
Evaluation, 133
Evidence-based, 320
Evidence-based medical dispute resolution, 141
Evidence-based practice, 231
Expatriate, 572
Expatriates, 579
Exposure, 414
Exposure limits, 61, 217
Exposure measurement, 131
Exposure-response, 81
Eye diseases, 193
Eye symptoms, 22

Families, 199
Fire Service, 599
Fish flour, 22
Fitness, 434
Fitness for work, 599
Fitness to work, 483
Flour, 25
Food industry, 597
Functional capacity, 483
Future, 523

Gamma-glutamyltransferase, 115
Gender, 414
Genetic polymorphism, 61
Glutaraldenhyde, 39
Guidelines, 231

Hairdressers, 586
Harbour workers, 22
Hazard, 583
Health and safety, 310, 326
Healthcare workers, 107, 383, 395
Health education, 137
Health indicators, 251
Health promotion, 137, 566
Health risk communication, 226
Health surveillance, 213
Health workers, 591
Hearing loss, 173
Heat, 334, 430
Heat exhaustion, 259, 334
Heat strain, 259
Heat stress, 259
Hepatitis B, 375, 383
Hepatitis C, 375
Hepatitis C virus, 377
Hepatocellular cancer, 422
Hypohidrosis, 430
Histamine intoxication, 22
History, 289, 440, 460
HIV, 375, 387
Hormesis, 217
Hospital staff, 107
Hours of work, 518
HPV/SIDS, 217
Human – computer interaction, 478
Human factors, 478
Human immunodeficiency virus, 164
Human rights, 348
Hydrocarbon solvents, 81
Hypoglycaemia, 19

Ill-health retirement, 434
Incapacity for work, 504
Individual differences, 478
Industrial hygienists, 522
Infection control, 392, 395
Infectious diseases, 560

Injury, 434
In-role performance, 304
Internal control, 326
Internet, 226
Intervention, 231
Interventions, 199, 320
Irritant contact dermatitis acuta, 337
Irritant contact dermatitis chronica, 337

Japan, 437
Japanese, 13
Job analysis, 434
Job characteristics, 299
Job-exposure matrix, 422
Journal, 460

Lead, 398
Legal system, 437
Legislation, 348
Lifestyle, 13, 115
Liver cancer risk factors, 422
Low back pain, 107, 591
Low income societies, 107

Malaria, 583
Management, 197, 199, 326, 377, 473
Manual work, 414
Material safety data sheets, 217
Maximal oxygen uptake, 259
Media, 226
Medical consultations, 237
Medical Research Council, 440
Medical students, 246
Medical surveillance, 407
Memory, 471
Mental health, 315, 320, 572
Methycillin-resistant *Staphylococcus aureus*, 375, 392
Milaria rubra, 430
Millennium, 522
Mine, 334
Miners, 334
Mining, 259, 334, 430
Mobile phone, 366
Model, 299
Modelling, 159
Mood, 165
Moods, 185
Motor vehicle repair garage, 326
Multidisciplinary approaches, 277
Multidisciplinary team, 369
Multidrug-resistant, 375,
Multidrug-resistant tuberculosis, 395
Multiple chemical sensitivity, 217
Musculoskeletal, 326
Musculoskeletal disorders, 277
Musculoskeletal symptoms, 608

Nasal perforation, 135
Needlestick, 387
Negative pressure ventilation, 395
Neurobehavioural testing, 81
Neurological, 366
Neurological dysfunction, 121
Neuropsycological symptoms, 185
Noise, 173
Noise induced, 173
Non-attenders, 504

Obesity, 3, 115, 259
Occupation, 518
Occupational, 173, 197
Occupational allergy, 406
Occupational disease, 496
Occupational and environmental epidermiology, 131
Occupational and environmental medicine, 213
Occupational contact dermatitis, 265
Occupational epidermiology, 141
Occupational exposure, 377, 387, 422
Occupational health, 64, 231, 310, 392, 395, 406, 473, 523
Occupational health and safety, 141
Occupational health nurse, 369
Occupational health nurses, 523
Occupational health policy, 57
Occupational health services, 159, 369, 406
Occupational hearing loss, 492
Occupational hygiene, 61, 406
Occupational medical teaching, 246
Occupational medicine, 141, 289, 460, 523
Occupational medicine specialization, 193
Occupational mental health, 289
Occupational physicians, 496
Occupational respiratory symptoms, 586
Occupational skin conditions, 597
Occupational skin disease, 265
Occupational stress, 294, 315
Occupations, 320
OECD, 217
Older-retirement, 471
Operators, 414
Ophthalmology, 193
Organizational citizenship behaviour, 304
Organizational interventions, 315
Organophosphorus pesticide, 343
Outbreaks, 560
Outcome targets, 133
Overseas assignment, 579

Pain, 30
Parental occupation, 398
Partnership, 133
Perceived work stressors, 518
Perception, 30
Person – environmental misfit, 512
Physical activity, 3
Physical fitness 3
Physique, 13
Pneumoconiosis Unit, 440
Police officers, 3
Policy, 33
Policy priorities, 57
Poison control center, 22
Post-exposure prophylaxis, 164, 387
Practice, 320
Premature retirement, 353
Prevalence, 107
Prevention, 492, 566
Preventive activities, 369
Prisons, 614
Professional development, 231, 460
Promotion of work ability, 369
Pseudocholinesterase, 343
Psychological adjustment, 111
Psychological health, 518
Psychological well-being, 299, 304, 320
Psychometric test performance, 81
Psychosocial factors, 473, 608
Psychosocial risk assessment, 310
Psychosocial working environment, 326
Public health, 213, 221
Pulmonary function, 586

Quality assurance, 213
Quantitative risk assessment, 131
Questionnaire, 414

Radio-frequency radiation, 366
Radiofrequency, 49
Recession, 437
Recuperation, 165
Rehabilitation, 213
Research, 320, 440
Residency training, 193
Reviews, 231, 387
Rhinitis, 25
Risk, 334, 583
Risk assessment, 231, 310, 392
Risk communication, 213
Risk factors, 13, 414, 591
Risk perception, 226

Screening, 392, 583, 614
Screening examinations, 353
Seafood allergy, 406
Seafood processing, 406
Self-report, 182
Seroconversion, 387

Sick leave, 237
Sickness absence costs, 251
Sickness absence reasons, 251
Sickness certification, 504
Silicon carbide, 103
Simulated tasks, 599
Skin, 430
Skin symptoms, 22
Smoking, 115, 586
Society and economies, 369
Soft tissue damage, 121
South Africa, 406
South East Asia, 64
Strategy, 133
Stress, 199, 289, 299,320, 473, 518
Stress and health, 294
Stress at the workplace, 512
Stress management training, 315
Styrene, 185
Substances hazardous to health, 61
Support, 579
Surveillance, 182, 221, 265, 496
Survey, 414
Sustainable development, 213, 217
Sweat, 430
Symptoms, 39, 237

Tanning, 111
Taxi driving, 19
Telangiectasiae, 337
Theory, 299
Thermal, 259, 334
Thin-layer chromatography, 22
Toxicology, 61
Travel health, 566
Travel medicine, 560
Travel related illness, 572
Travellers, 560
Treatment, 492
Tropical, 334
Trust, 226
Tuberculosis control, 614
Type 1 diabetes mellitus, 19

UHF, 49
Underground, 259, 334
Upper limb, 30

Vacation from work, 165
Vaccination, 383
VDU, 608
Ventilation, 334
VHF, 49
Viscose factory, 43

Well-being, 165, 315
Women, 422
Work, 299, 320, 608
Work ability, 483
Work ability index, 3
Work design, 473
Work-life, 369
Work load, 518
Work performance, 304
Work processes, 406
Work related cardiovascular diseases, 43
Work-related diseases, 512
Work-related symptoms, 406
Work stress, 165
Workers compensation, 141
Workplace, 182
Worksite health promotion, 137
Worksite wellness, 137

X-ray processing chemicals, 39